



STATE OF UTAH

1	SUBMIT	IN	TRIPLIC	CATE*
			tructions e side)	on

OIL &	GAS CONSER	VATION COMM	ISSION		5. LEASE DESIGNATION AND SERIAL NO
APPLICATION	FOR PERMIT	TO DRILL, DEE	PEN, OR PLUG E	BACK	6. IF INDIAN, ALLOTTEE OR TRIBE NAMI
. TYPE OF WORK DRIL	· [7]	DEEPEN	PLUG BA	CK 🗆	7. UNIT AGREEMENT NAME
. TYPE OF WELL				i i	
WELL GAS WEL	L OTHER		ZONE ZONE ZONE	PLE	8. FARM OR LEASE NAME
NAME OF OPERATOR	0, // 0 3.			· · · · · · · · · · · · · · · · · · ·	tee Mm
Nx D C	u eo	· · · · · · · · · · · · · · · · · · ·			9. WELL NO.
ADDRESS OF OPERATOR	2 ℓ \sim 0	LII.	0 00	-	10. FIELD AND POOL, OR WILDGAT
LOCATION OF WELL (Repo	ort location clearly an	d in accordance with an	y State requirements.*)		
At surface	b 1. 0	of lown	ula .	. -	(
At proposed prod. zone	M. G. C.	V start	*.	•	MAD STRUCK OB AREAD 4
no proposou prous some				9	24, 1218: -123 E
. DISTANCE IN MILES AN	D DIRECTION FROM NE	AREST TOWN OR POST OF	rich*		12. COUNTY OR PARISH 13. STATE
	<u> </u>	- Company of the second se			grand lelde
5. DISTANCE FROM PROPOSI LOCATION TO NEAREST		16.	NO. OF ACRES IN LEASE	TO THE	Nees assigned s well
(Also to nearest drlg. li	ne, if any)		WO TOG 6.	-	
3. DISTANCE FROM PROPOS TO NEAREST WELL, DRII	LING, COMPLETED,	19.	PROPOSED DEPTH	20. ROTARY	OR CABLE TOOLS
or applied for, on this . ELEVATIONS (Show wheth			DUU.	<u> </u>	22. APPROX. DATE WORK WILL START
3370 6	P		•		approx Lenter
0010. (0	- 11 /	PROPOSED CASING A	ND CEMENTING PROGR.	AM	11 12/21 00/
· · · · · · · · · · · · · · · · · · ·		-1		1	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	-	QUANTITY OF CEMENT
	De 1. 11		5/50		
	3/2	-	200	-	
Lis Prof	cored to	re-enter	Clean	out,	, and logicel
Les Tisho	1150 /11	ations.	1	. M . A	1-10 // 1-
7	er une	men r	ugarama	y pool	seve flooder
Leration	apter	due no	thee and	I K	areno 10). Il.
Lita 0 1	7. 7	. P. 1.1.	a File		An Ila
were Cl	ily Ha	& Comere	ravou (one	VILLARON,
	V	••	•		
	APPROVED BY	UTAH OIL AND	AS	•	
	CONSERVATIO	N COMMISSION			
	DATE: 2/157	165, Fan	A Burcholl	0 12 13	
	STI Sie defending	by Clean	Manager and Sandanasan		
ADOVE SDAGE PESSES	DEADARD DEAGRAM IA	neonogal is to dooper a	r nlug hast give date on t	nregent nreduc	ctive zone and proposed new product
one. If proposal is to dreventer program, if any.	ill or deepen direction	nally, give pertinent dat	a on subsurface locations a	and measured	and true vertical depths. Give blowd
. (001	•⁄)	<u> </u>		V
SIGNED	ald	lesis TITLE	Mania	w	_ DATE SEPT 15- 4
	l or State office use)				
(This space for redera				100	and the second of the second o
			ADDDOVAT, DAMM		
PERMIT NO.			APPROVAL DATE		





OPERATOR	DÉD QU			DATE	
WELL NAME	Marray #1				
SEC <u>NE</u>	Murrey #1 NE 24 T 215	R 23E	COUNTY	Grand	
	43-019-3/184 API NUMBER			Les E OF LEASE	
CHECK OFF	•				
	PLAT	BON	ID		NEAREST WELL
	LEASE	FIE	LD		POTASH OR OIL SHALE
	G COMMENTS:				<u> </u>
This	well was comp file was made up is ST per Biel	bened with	L Faller) #1 - Ta	215 23E 5-24
no	file was made up	or API,	number!	esend.	
will	is SI four Biel	moon.			3/27/85
APPROVAL L	ETTER:				
SPACING:	A=3UNIT		C-3-6	CAUSE NO.	& DATE
	c-3-b		c-3-c	:	
STIPULATIO	DNS:	÷		-	
*					
-	***	· · · · · · · · · · · · · · · · · · ·			
					

November 23, 1965

D & B 0il dompany 206 Gedar Street Yuma, Colonado

Re: Well No. Murray #1

Sec. 24, T. 21 S., R. 23 E.,

Grand County, Utah

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the above mentioned month (s), for the subject well. Rule C-22(1), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGCC-lb (U. S. Geological Survey Form 9-331, "Sundry Notices and Reports on Wells"), or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your immediate attention is required in this matter.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ANNETTE R. HANSEN RECORDS CLERK

kgw


Encl: Forms

Form OGCC-1 be

81	ATE OF UTAH	(Other instructions on re		
OIL & GAS CON	SERVATION COMMISSIO		5. LEASE DESIGNATION AN	D SERIAL NO.
			305205	n maram 27.11.00
SUNDRY NO	TICES AND REPORTS OF	N WELLS	6. IF INDIAN, ALLOTTEE O	R TRIBE NAME
(Do not use this form for prop Use "APPLIC	osals to drill or to deepen or plug bac CATION FOR PERMIT—" for such prop	k to a different reservoir.		
			7. UNIT AGREEMENT NAME	
WELL GAS WELL OTHER				
D' D' D' D' D' Co.			8. FARM OR LEASE NAME	
. ADDRESS OF OPERATOR	To the state of th		9. WELL NO.	
Shullsburg, Wiscon			Murry # 1	
See also space 17 below.) At surface	clearly and in accordance with any St	ate requirements.*	Cisco Townsig	ght
BBlock 6 Cisco	Fown sight		11. SEC., T., B, M., OR BLE	. AND
			N. E. Ty 4 Sec.	
			T21 S. R. 2	3 E•
4. PERMIT NO.	15. ELEVATIONS (Show whether DF, R	T, GR, etc.)	12. COUNTY OR PARISH 1	.8. STATE
None was given	3370 G R		<u> </u>	
Check A	appropriate Box To Indicate Na	ture of Notice, Report, or G	Other Data	
NOTICE OF INTE	ENTION TO:	раввив	UENT REPORT OF:	
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WEI	ı [
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASI	NG
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMENT*	· 🔲
REPAIR WELL	CHANGE PLANS	(Other)		
(Other)		(Nore: Report results Completion or Recomp	s of multiple completion on pletion Report and Log form.	Well
I am not activ	l communication's re now. I am sick.	Gerald D. Si.	lvius.	Oil Co.
on your proc	orseo, mis is s	nown as ruller;	7 1 .	
		i i	f ·	
			a a	
3. I hereby certify that the taregoing	is true and correct			
STONE	Wille TITLE Man	iger	11-27	7-65
STOTION OF THE STOTIO			DATE	
(This space for Federal or State o	ffice use)			
APPROVED BY	TITLE		DATE	
	ANY:			

MO

IL & G	AS CONS	ERVATION COMMISS	(Other instructions on verse side)	5. LEASE DESIGNATION	AND SERIAL NO.
SUND	DRY NOT	ICES AND REPORTS sals to drill or to deepen or plug	ON WELLS	6. IF INDIAN, ALLOTTE	E OR TRIBE NAME
OIL GAS	Use "APPLICA	ATION FOR PERMIT—" for such	proposals.)	7. UNIT AGREEMENT NA	AMB .
WELL WELL L. NAME OF OPERATOR	OTHER O			8. FARM OR LEASE NAM	(D
ADDRESS OF OPERATOR	in 7			9. WELL NO. FULL	ER #/
d. LOCATION OF WELL (Rep. See also space 17 below At surface	port location c	learly and in accordance with an	ny State requirements.*	10. FIELD AND FOOL, O	ale
4. PERMIT NO.		15. ELEVATIONS (Show whether	DF, RT, GR, etc.)	12. COUNTY OR PARISH	13. STATE
6.	Check Ap	opropriate Box To Indicate	Nature of Notice, Report, or	r Other Data	<u> </u>
NO	TICE OF INTEN	TION TO:	SUBS	EQUENT REPORT OF:	
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE		PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON*	WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING	REPAIRING VALTERING C.	ASING
nent to this work.) *	COMPLETED OPE		completion or Recordent details, and give pertinent datestions and measured and true ver		rm.)
(Other) 7. DESCRIBE PROPOSED OR C proposed work. If v nent to this work.) *	COMPLETED OPE	RATIONS (Clearly state all pertinonally drilled, give subsurface locally drilled, give subsurface l	(Note: Report resu Completion or Recor	mpletion Report and Log for tes, including estimated dat tical depths for all markers	rm.)
(Other) 7. DESCRIBE PROPOSED OR C proposed work. If v nent to this work.) *	COMPLETED OPE	RATIONS (Clearly state all pertinonally drilled, give subsurface locally drilled, give subsurface l	(Note: Report resu Completion or Record ent details, and give pertinent dat eations and measured and true ver	mpletion Report and Log for tes, including estimated dat tical depths for all markers	rm.)
(Other) 17. DESCRIBE PROPOSED OR C proposed work. If v nent to this work.) *	COMPLETED OPE	RATIONS (Clearly state all pertinonally drilled, give subsurface locally drilled, give subsurface l	(Note: Report resu Completion or Record ent details, and give pertinent dat eations and measured and true ver	mpletion Report and Log for tes, including estimated dat tical depths for all markers	rm.)
(Other) 7. DESCRIBE PROPOSED OR C proposed work. If v nent to this work.) *	COMPLETED OPE	RATIONS (Clearly state all pertinonally drilled, give subsurface locally drilled, give subsurface l	(Note: Report resu Completion or Record ent details, and give pertinent dat eations and measured and true ver	mpletion Report and Log for tes, including estimated dat tical depths for all markers	rm.)
(Other) 7. DESCRIBE PROPOSED OR C proposed work. If v nent to this work.) *	COMPLETED OPE	RATIONS (Clearly state all pertinonally drilled, give subsurface locally drilled, give subsurface l	(Note: Report resu Completion or Record ent details, and give pertinent dat eations and measured and true ver	mpletion Report and Log for tes, including estimated dat tical depths for all markers	rm.)
(Other) 7. DESCRIBE PROPOSED OR C proposed work. If v nent to this work.) *	COMPLETED OPE	RATIONS (Clearly state all pertinonally drilled, give subsurface locally drilled, give subsurface l	(Note: Report resu Completion or Record ent details, and give pertinent dat eations and measured and true ver	mpletion Report and Log for tes, including estimated dat tical depths for all markers	rm.)
(Other) 7. DESCRIBE PROPOSED OR C proposed work. If v nent to this work.) *	COMPLETED OPE	RATIONS (Clearly state all pertinonally drilled, give subsurface locally drilled, give subsurface l	(Note: Report resu Completion or Record ent details, and give pertinent dat eations and measured and true ver	mpletion Report and Log for tes, including estimated dat tical depths for all markers	rm.)
(Other) 17. DESCRIBE PROPOSED OR C proposed work. If v nent to this work.) *	COMPLETED OPE well is direction	RATIONS (Clearly state all pertinually drilled, give subsurface losses and correct	(Note: Report resu Completion or Record ent details, and give pertinent dat eations and measured and true ver	mpletion Report and Log for tes, including estimated dat tical depths for all markers	rm.)



Norman H. Bangerter, Governor Dee C. Hansen, Executive Director Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

January 15, 1986

TO: Norm Stout, Well Records Supervisor

FROM: John Baza, Petroleum Engineer

RE: Well No. Murray 1, Sec. 24, T. 21S, R. 23E, Grand County, Utah

Based on recent field inspections conducted by William Moore, Oil and Gas Field Specialist, it has been determined that the original operator of the listed well no longer exists. Therefore, the well status should be considered as a shut-in well with operator unknown because no further information on the well can likely be obtained.

The well currently has a pump rod sticking out of the casing box. The well is in disrepair and unidentified. The operator no longer exists and no completion report was filed; although, it appears to have produced according to field evidence. The well should be listed as shut-in without an operator until further operations are proposed.

WM/sb 0214T-11



Division Director

State of Utah

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

December 6, 1991

To:

R. J. Firth

D. T. Staley

J. L. Thompson

S. L. Schneider

From:

Lisha Romero

Re:

Wells listed under N0000/Unknown Operator on Fee and

State leases.

All wells previously listed under N0000/Unknown Operator on Fee and State leases, have been changed back to the last known operator, based on information obtained from the well files. Wells that are currently in Shut-In, OPS, or TA status have been assigned Entity numbers. Bond availability has been reviewed for wells on Fee land. Operator's with unplugged wells will now show up on the monthly turnaround report under the last known operator, except for those wells with TA or OPS status. However, due to the fact that the majority of these operators no longer exist, and the fact that the wells have been in unknown operator status for several years, the operator's addresses have been X'd out to prevent mailing of the monthly report.

My intentions are to follow-up with St. Lands/Ed Bonner on lease cancellations, assignments & bonding for wells drilled on State leases.

The Tax Commission will be notified of these changes, and asked to continue to hold off on any action until DOGM advises otherwise.

I hope this change assists in determining future action regarding the unplugged wells within the state. I have attached information for your review. Please advise me of any additional steps to take.



FEE LEASES

Associated Energy Corp./P0061

Broadhead, M.D./N9745

Burnham Oil Co./P0531

Caltah Oil Company/P0397

Carbon Emery Producers/P0126

D & D Oil Co./P0794

Delta Petroleum & Energy/P0032

H.M. Byllesby & Co./P0215

Midway Oil & Refining Co.

Milagro Energy Resources/N2590

Rancho Energy Corp./N3970

Taylor & Taylor/P0561

Tomlinson, Sid/P0795 (Well Stat/TA - No Monthly Report)

Vanco Oil Co./P0411

Zepco Inc./P0791 (Well Stat/OPS - No Monthly Report)

Zion Oil Co. of Nevada/P0792



355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Ut 84180-1203. ● (801-538-5340)

Operator name and address:

_	1		1
Page	<u> </u>	of	



MONTHLY OIL AND GAS PRODUCTION REPORT

●D & D OIL CO. XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXX							Utah Account No. P0794 Report Period (Month/Year) 11 / 91 Amended Report						
Well Name			Producing	Days	Prod	uction V	lume	<u> </u>					
API Number	Entity	Location	Zone	Oper	Oil (E	BL)		Gas (N	ISCF)		Water	(BBL)	
GEBAUER #3 4303730191	08177 4	2S 19E 7	GDRSD	_	-73	280'	11/20/91	from	Noopoluni	k.			
GEBAUER 4 4303730192		2S 19E 7	GDRSD	_	-70	290'	٠,	,					
ROY COOK #1 4301915005		1S 23E 24											
MURRAY #1 4301931184	11302 2	:1S 23E 24											
MURRAY #3 4301915003	11312 2	11S 23E 24	MRSN										
FULLER #1 4301915001	11320 2	11S 23E 24		·					•		•		
<u> </u>	·											-	
										,		170.	
													
TOTAL Comments (attach separate sheet if necessary)													
			W									· · · · · · · · · · · · · · · · · · ·	Wow.

I have reviewed	this repor	rt and certify the	information	to be	accur	ate and c	omplete.	Date _					
norized signa	ature		· · · · · · · · · · · · · · · · · · ·	-		 		Teleph	one		 		

CARBON CONT.

N3970/Rancho Energy Corp.
43-007-30009/Sec. 27, T. 15S, R. 10E - AEC Miller Creek #4 -SGW TD 8651'/Last Insp. 5-16-91
(Surety #4690043/\$5,000 Issued by Safeco Ins. Co. of America)

EMERY

P0126/Carbon Emery Producers
43-015-15118/Sec. 35, T. 19S, R. 7E - Tidwell 1-A - SOW
TD 1470'/Last Insp. 6-28-91
(Surety/\$10,000 Issued by Earl V. Hills & L. W. Peterson)

GRAND

N9745/Broadhead, M. D. 43-019-31033/Sec. 24, T. 21S, R. 23E - Gibralter #1 - SOW TD 742'/Last Insp. 5-9-90 (Surety #19-0130-10326-83-1/\$5,000 Issued by United States Fidelity)

P0397/Caltah Oil Co. 43-019-11533/Sec. 24, T. 21S, R. 23E - Fee #1 - SOW TD 568'/Last Insp. 5-9-90 (No Bond)

43-019-11534/Sec. 24, T. 21S, R. 23E - Kenmore #24-106 - SOW TD 771'/Last Insp. 5-9-90 (No Bond)

43-019-20383/Sec. 24, T. 21S, R. 23E - Kenmore #24-114 - SOW TD 1260'/Last Insp. 5-9-90 (No Bond)

43-019-20381/Sec. 24, T. 21S, R. 23E - Kenmore #24-25 (#5) - SOW TD 549'/Last Insp. 5-9-90 (No Bond)

P0794/D & D Oil Co. 43-019-15005/Sec. 24, T. 21S, R. 23E - Roy Cook #1 - SGW TD 605'/Last Insp. 5-9-90 (See Bond File *Vanco Oil Company, D & D Oil Company, Dan Vanover)

43-019-31184/Sec. 24, T. 21S, R. 23E - Murray #1 - SOW Prop. TD 600'/Last Insp. 5-9-90 (See Bond File *Vanco Oil Company, D & D Oil Company, Dan Vanover)

43-019-15003/Sec. 24, T. 21S, R. 23E - Murray #3 - SOW
TD 565'/Last Insp. 5-9-90
(See Bond File *Vanco Oil Company, D & D Oil Company, Dan Vanover)

STATE OF UTAH DIVISION OF OIL, GAS AND MINING CEMENTING OPERATIONS

OPERATOR: D & D OIL COMPANY	API NO: 43-019-31184
WELL NAME: MURRAY # 1	LEASE: FEE
QTR/QTR: NE/NE SECTION: 24 TOWNSHI	IP: 21S RANGE: 23E
PLUGGING COMPANY NAME: QUALITY REMEDIATI	ION SERVICES
COMPANY REPRESENTATIVE: MIKE MOLD	
DOGM INSPECTOR: JIM THOMPSON	
TYPE OF WELL: OIL: X GAS: WIW:	
CASING INFORMATION: SURFACE CASING:	OTHER:
SIZE: 8 ½" GRADE: HOLE SIZE:	DEPTH: 565'
PIPE CENTRALIZED:YES: NO: CEME	ENTING CO
CEMENTING STAGES: 1 STAGE TOOL @:	
SLURRY INFORMATION:	
1. LEAD <u>COMMERCIAL 7 SX MORTAR MIX</u>	K NO GRAVEL.
2. SLURRY:	
3. SLURRY:	
4. SLURRY:	
5. SLURRY:	· · · · · · · · · · · · · · · · · · ·
6. CEMENT TO SURFACE: YES: NO: LOS 7. 1 INCH INFORMATION: CLASS:	
CEMENT WEIGHT: CEMENT TO SURFACE: I	
ADDITIONAL COMMENTS: Well had 3 strings 6 ½"-8 ½". Well was filled bottom to to	
marker attached. Area backfilled and level plugging file	veled. Photos in Cisco

WELL NAME	Α	PI NU	JMBER	TD	MEASURED	· ·	COMMENTS
					DEPTH	SIZE	LOCATION CONDITION, ACCESS, ENVIRONMENTAL, ETC.
KENMORE #2	43	019	10384	573		6 1/2	CASING IS 6 1/2 INCHES, VALVE ON TOP COULD NOT GAUGE DEPTH
	Ì						PICTURE #13 ROLL 1. 645691 E 4314535 N
		1					
FEE #1	43	019	11533	568	180	4	CASING IS 4 INCH 180' DEEP GPS CONFIRMED THIS LOCATION TO BE
							CORRECT. PICTURE #8 ROLL 1
KENMORE 24-106	43	019	11534	771		10	DEPTH COULD NOT BE OBTAINED CASING IS 10". PICTURE #4 ROLL 2
							645576 E 4314274 N
·	Ì	Ì	1]		
FULLER #1	43	019	15001	571	70	5 1/2	CASING IN THIS WELL IS 4 INCH, THE WELL IS 70' DEEP GPS CONFIRMED
1							THE LOCATION PICTURE #7 ROLL 1.
j I							
MURRAY #3	43	019	15003	565		5 1/2	WELL NOT FOUND. AN ASPHALT PARKING LOT HAS BEEN PLACED ON TOP
							OF THE WELL 645785 E 4314683 N
ROY COOK #1	43	019	15005	570		5 1/2	CASING IS 51/2 INCHES NO DEPTH WAS OBTAINED BECAUSE OF THE
							WELLHEAD VALVES. PICTURE #1 ROLL 2 645563E 4314500 N
CLARK #1 (KENMORE 3)	43	019	16261	563	510	4 1/2	CASING IS 6 INCHES, DEPTH IS 510' PICTURE #9 ROLL 1
,						6	NO GPS CONFIRMATION BAD SATELLITE DATA
MURRAY FEE #2	43	019	16262	558		4 1/2	WELL IS BEING WORKED OVER CASING IS 4 1/2 PICTURES 2 & 3 ROLL 2
			1				645625 E 4314510 N
	l ,						<u>- 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, </u>
KENMORE 24-25	43	019	20381	549	250		CASING WAS NOT MEASURED THE WELLHEAD IS TO CLOSE TO THE
							GROUND FLUID AT 25-30' SOME OIL, DID NOT GET TO BOTTOM
							PICTURES 11 & 12 ROLL 1, 645123 E 43144482 N
KENMORE 24-114	43	019	20383	1260			CASING IS 4 1/2 INCHES, NOT ABLE TO OBTAIN DEPTH. PICTURES 5 & 6
			= = = = =	55			ROLL 2. 645448 E 4314374 N
MURRAY #1 (FULLER #1)	43	019	31184	565		5 1/2	CASING IS 8 1/2 INCHES, NO DEPTH WAS OBTAINED WELLHEAD VALVES
	``	"					WERE CLOSED. PICTURE #10 ROLL1 . POSITION WAS CONFIRMED BY
						0 1/2	GPS.
							<u> </u>